



KRY BEARING AFRICA PRIVATE LTD.



23068 CACK/C08W507 Bearing 2D drawings and 3D CAD models

13.386 Inch | 340 Millimeter x 20.472 Inch | 520 Millimeter x 5.236 Inch | 133 Millimeter SKF 23068 CACK/C08W507 Spherical Roller Bearings

Bearing No. 23068 CACK/C08W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	119.51
EAN	7316577737618
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Adapter Part Number - Millimeter	H3068 (Specify bore)
Withdrawal Sleeve	AH3068 AOH3068 (Specify bore)
Withdrawal Nut	HML73T
Inch - Metric	Metric
Long Description	340MM Tapered Bore; 520MM Outside Diameter; 133MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller



KRY BEARING AFRICA PRIVATE LTD.

	Bearings; Bronze Cage Material; Open Enclosure; Relubricatable; Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	263.232
d	13.386 Inch 340 Millimeter
B	5.236 Inch 133 Millimeter
D	20.472 Inch 520 Millimeter
bore diameter:	340 mm
operating temperature range:	Maximum of +390 ° F
outside diameter:	520 mm
cage material:	Brass
overall width:	133 mm
bearing material:	Steel
bore type:	Tapered 1:12
cage type:	Inner Ring Guided
outer ring type:	Not Split
precision rating:	Not Rated
internal clearance:	C0
finish/coating:	Uncoated
closure type:	Open
outer ring width:	133 mm
lubrication hole type:	Lubrication Groove & Hole
fillet radius:	4 mm



KRY BEARING AFRICA PRIVATE LTD.

dynamic load capacity:	2700 kN
series:	230
static load capacity:	4550 kN
manufacturer product page:	Click here
maximum rpm:	1300 RPM