



# KRY BEARING AFRICA PRIVATE LTD.



2.953 Inch | 75 Millimeter x 5.118 Inch | 130  
Millimeter x 1.22 Inch | 31 Millimeter SKF 22215  
EK/W64 Spherical Roller Bearings

Bearing No. 22215 EK/W64

22215 EK/W64 Bearing 2D drawings and 3D CAD models

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.768
EAN	7316571322384
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	No
Withdrawal Sleeve	AH315 (Specify bore)
Withdrawal Nut	KM17
Inch - Metric	Metric
Long Description	75MM Tapered Bore; 130MM Outside Diameter; 31MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Not Relubricatable; Adapter Par



## KRY BEARING AFRICA PRIVATE LTD.

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	3.898
Adapter Part Number	SNW15 H315 HA315 HE315 (Specify Bore) Inch   H315 (Specify bore) Millimeter
d	2.953 Inch   75 Millimeter
B	1.22 Inch   31 Millimeter
D	5.118 Inch   130 Millimeter
bore diameter:	75 mm
static load capacity:	53954 lbf
outside diameter:	130 mm
operating temperature range:	0 ° F to 185 ° F
overall width:	31 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C0
application:	Metal manufacturing, Paper mills, Steel mills – plate, slab, strip, blast furnace, Overhead cranes, Food and beverage, Rock and stone conveyors, Shipyards Metal



## KRY BEARING AFRICA PRIVATE LTD.

	manufacturing Pap
closure type:	Open
finish/coating:	Uncoated
dynamic load capacity:	48784 lbf