



# KRY BEARING AFRICA PRIVATE LTD.



23152 CACK/C08W507 Bearing 2D drawings and 3D CAD models

10.236 Inch | 260 Millimeter x 17.323 Inch | 440 Millimeter x 5.669 Inch | 144 Millimeter SKF 23152 CACK/C08W507 Spherical Roller Bearings

Bearing No. 23152 CACK/C08W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	104
EAN	7316577612441
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3152 AOH3152 (Specify bore)
Withdrawal Nut	HM58T
Inch - Metric	Metric
Long Description	260MM Tapered Bore; 440MM Outside Diameter; 144MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure;



# KRY BEARING AFRICA PRIVATE LTD.

	Relubricatable; Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	229.281
Adapter Part Number	SNP3152 H3152 (Specify bore) Inch   H3152 (Specify bore) Millimeter
d	10.236 Inch   260 Millimeter
B	5.669 Inch   144 Millimeter
D	17.323 Inch   440 Millimeter
bore diameter:	260 mm
maximum rpm:	1400 RPM
outside diameter:	440 mm
operating temperature range:	Maximum of +390 ° F
overall width:	144 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C1
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



## KRY BEARING AFRICA PRIVATE LTD.

outer ring width:	144 mm
dynamic load capacity:	2550 kN
fillet radius:	3 mm
static load capacity:	3900 kN
series:	231