



KRY BEARING AFRICA PRIVATE LTD.



23164 CACK/C083W507 Bearing 2D drawings and 3D CAD models

12.598 Inch | 320 Millimeter x 21.26 Inch | 540 Millimeter x 6.929 Inch | 176 Millimeter SKF 23164 CACK/C083W507 Spherical Roller Bearings

Bearing No. 23164 CACK/C083W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	179.56
EAN	7316577664419
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3164 AOH3164 (Specify bore)
Withdrawal Nut	HM70T
Inch - Metric	Metric
Long Description	320MM Tapered Bore; 540MM Outside Diameter; 176MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure; Relubricatable;



KRY BEARING AFRICA PRIVATE LTD.

	Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	395.509
D	21.26 Inch 540 Millimeter
B	6.929 Inch 176 Millimeter
Adapter Part Number	SNP3164 (Specify bore) Inch H3164 (Specify bore) Millimeter
d	12.598 Inch 320 Millimeter
bore diameter:	320 mm
maximum rpm:	1100 RPM
outside diameter:	540 mm
operating temperature range:	Maximum of +390 ° F
overall width:	176 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



KRY BEARING AFRICA PRIVATE LTD.

outer ring width:	176 mm
dynamic load capacity:	3750 kN
fillet radius:	4 mm
static load capacity:	6000 kN
series:	231