



KRY BEARING AFRICA PRIVATE LTD.



24048 CCK30/C3W33 Bearing 2D drawings and 3D CAD models

9.449 Inch | 240 Millimeter x 14.173 Inch | 360 Millimeter x 4.646 Inch | 118 Millimeter SKF 24048 CCK30/C3W33 Spherical Roller Bearings

Bearing No. 24048 CCK30/C3W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	43.339
EAN	7316571162164
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AOH24048 (Specify bore)
Withdrawal Nut	HM50T
Inch - Metric	Metric
Long Description	240MM Tapered Bore; 360MM Outside Diameter; 118MM Width; C3-Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable
Other Features	Order adapter or



KRY BEARING AFRICA PRIVATE LTD.

	withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	95.46
D	14.173 Inch 360 Millimeter
B	4.646 Inch 118 Millimeter
d	9.449 Inch 240 Millimeter
bore diameter:	240 mm
maximum rpm:	1600 RPM
outside diameter:	360 mm
operating temperature range:	Maximum of +390 ° F
overall width:	118 mm
cage material:	Steel
bore type:	Tapered 1:30
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	118 mm
dynamic load capacity:	1600 kN
fillet radius:	2.5 mm
static load capacity:	2700 kN



KRY BEARING AFRICA PRIVATE LTD.

series:	240
---------	-----