



KRY BEARING AFRICA PRIVATE LTD.



23138 CCK/C4W33 Bearing 2D drawings and 3D CAD models

7.48 Inch | 190 Millimeter x 12.598 Inch | 320 Millimeter x 4.094 Inch | 104 Millimeter SKF 23138 CCK/C4W33 Spherical Roller Bearings

Bearing No. 23138 CCK/C4W33

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	35.332
EAN	7316571056906
Product Group	B04311
Internal Clearance	C4-Extra Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3138 (Specify bore)
Withdrawal Nut	HM42T
Inch - Metric	Metric
Long Description	190MM Tapered Bore; 320MM Outside Diameter; 104MM Width; C4-Extra Loose Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Steel Cage Material; Open Enclosure; Relubricatable; Adapter



KRY BEARING AFRICA PRIVATE LTD.

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	77.823
d	7.48 Inch 190 Millimeter
B	4.094 Inch 104 Millimeter
Adapter Part Number	SNW3138 H3138 HA3138 HE3138 (Specify bore) Inch H3138 (Specify bore) Millimeter
D	12.598 Inch 320 Millimeter
bore diameter:	190 mm
maximum rpm:	2000 RPM
outside diameter:	320 mm
operating temperature range:	Maximum of +390 ° F
overall width:	104 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C4
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



KRY BEARING AFRICA PRIVATE LTD.

outer ring width:	104 mm
dynamic load capacity:	1370 kN
fillet radius:	2.5 mm
static load capacity:	2080 kN
series:	231